



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/094,539	06/12/1998	RICHARD C. MACHIN	13768.73	8493
47973	7590 01/26/2005		EXAMINER	
	N NYDEGGER/MICR	ANYA, CHARLES E		
1000 EAGLE GATE TOWER 60 EAST SOUTH TEMPLE			ART UNIT	PAPER NUMBER
SALT LAKI	ECITY, UT 84111	2126		
	•		DATE MAILED: 01/26/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Applicati n N .	Applicant(s)				
Office Action Commence	09/094,539	MACHIN ET AL.				
Office Action Summary	Examin r	Art Unit				
	Charles E Anya	2126				
Th MAILING DATE of this communication app Period f r Reply	ars on the c ver sh et with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	nely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>07 Se</u>	eptember 2004.					
2a)⊠ This action is <b>FINAL</b> . 2b)☐ This	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-13 is/are pending in the application.	☑ Claim(s) <u>1-13</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdraw	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.	Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-13</u> is/are rejected.						
	Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ acce	The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents</li> <li>2. Certified copies of the priority documents</li> <li>3. Copies of the certified copies of the prior</li> </ul>	have been received. have been received in Application	on No				
application from the International Bureau	, , , ,					
* See the attached detailed Office action for a list of	of the certified copies not receive	d.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ite atent Application (PTO-152)				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	6) Other:	atom reprioused (FTO-TOE)				

Application/Control Number: 09/094,539 Page 2

Art Unit: 2126

#### **DETAILED ACTION**

1. Claims 1-13 are pending in this application.

## Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-5 and 7-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,2253,255 B1 to Hyder et al. in view of U.S. Pat. No. 6,249, 818 B1 to Sharma.
- 4. As to claim 1, Hdyer teaches a method for representing to an application the characteristics of an underlying connection-oriented device through an integrating component, over known application-level interfaces of the integrating component, and allowing an application to take advantage of a connection-oriented I/O subsystem having the integrating component over the known application-level interfaces, and without requiring the application programmer to program directly to the integrating component (figures 2-5 Col. 6 Ln. 54 67, Col. 7 Ln. 1 14), the method comprising: representing to an application, over a first known application-level interface of the

Application/Control Number: 09/094,539 Page 3

Art Unit: 2126

integrating component (Interface 218 figures 2-5 Col. 6 Ln. 54 - 67), wherein the integrating component is positioned between the application and a connection-oriented device driver associated with the connection-oriented device and one or more data transport components (figures 2-5 Col. 6 Ln. 54 - 67, Col. 7 Ln. 1 - 14), representing lo the application, over a second known application-level interface of the integrating component, data and control characteristics of the underlying connection-oriented device (Interface 228 figures 2-5 Col. 6 Ln. 54 - 67, Col. 7 Ln. 1 - 14), receiving, by the integrating component, a command from the application over the first known application-level interface (figures 2/3/5 (Req 222 Col. 6 Ln. 54 - 67), receiving, by the integrating component, a command from the application over the second known application-level interface (figures 2/3/5 (Res 260/262 Col. 6 Ln. 54 - 67), and by the connection-oriented device driver, interacting with the integrating component in order to execute said received commands so that the application may take advantage of the connection-oriented 1/0 subsystem and use the connection-oriented device using the known application-level interfaces and without requiring the application programmer to program to an interface of the connection-oriented device driver (Col. 11 Ln. 25 - 36).

- 5. Hyder is silent with reference to the connection control characteristics of the underlying connection-oriented device related to the manner in which the connection-oriented device makes a connection for sending and receiving network data over a network.
- 6. Sharma teaches the connection control characteristics of the underlying connection-oriented device related to the manner in which the connection-oriented

device makes a connection for sending and receiving network data over a network (figure 3 Col. 4 Ln. 1 - 18).

- 6. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Sharma and Hyder because the teaching of Sharma would improve the system of Hyder by providing transport protocol registration and application connection (Col. 3 Ln. 55 60, Col. 4 Ln. 10 12).
- 7. As to claim 2, Sharma teaches a method as recited in claim 1 wherein the integrating component has a connection interface for making connections with underlying connection-oriented devices (figure 3 Col. 4 Ln. 10 18), and a data transport interface for interacting with the one or more data transport components (figure 2 (Mappers 50a, 50b...) Col. 3 Ln. 43- 51) the method further comprising the steps of: the one or more data transport components interacting with applications and the data transport interface (figure 2 (Stack/Drivers 44a... Col. 3 Ln. 43 51), sending to the integrating component, instructions for directing data and data control information over a specified one of the data transport components and receiving, from the integrating component, an identifier that can be used by the application to access the data over the specified data transport component (Col. 5 Ln. 8 -18).
- 8. As to claim 3, Sharma teaches a method as recited in claim 2, wherein: the integrating component implements a connection manager interface that may support a connection manager component and the one or more data transport components

Application/Control Number: 09/094,539

Art Unit: 2126

interact with the integrating component over the connection manager interface to effectively register their respective data types ("...RegTransport call..." Col. 3 Ln. 59 - 67), and the method further comprises the steps of: receiving from the integrating component a redirection command specifying a data type; and interacting over the connection manager interface of the integrating component in order to determine a correct data transport component based on the data type (Col. 5 Ln. 8 - 18, Col. 6 Ln. 22 - 25).

- 9. As to claim 4, see the rejection of claim 1.
- 10. As to claim 5, Hyder teaches a connection-oriented driver subsystem where connection control information is communicated to an application (application is inherent in Hyder) through a connection interface while data and data control information is communicated through connection-oriented transport interface, the driver subsystem comprising: a connection-oriented device driver controlling a connection-oriented hardware device (figures 2-5 Col. 6 Ln. 54 67, Col. 7 Ln. 1 14, Col. 10 Ln. 1 64), a data transport capable of communication with an application (figures 2-5 Col. 6 Ln. 54 67, Col. 7 Ln. 1 14, Col. 10 Ln. 1 64), an integrating component that interfaces with the connection-oriented device driver and the data transport (figures 2-5 Col. 6 Ln. 54 67, Col. 7 Ln. 1 14, Col. 10 Ln. 1 64), said connection-oriented device driver and said data transport serving as clients to said integrating component (figures 2-5 Col. 6 Ln. 54 67, Col. 7 Ln. 1 14, Col. 10 Ln. 1 64), wherein said integrating component is

Application/Control Number: 09/094,539

Art Unit: 2126

positioned between the application, the connection-oriented device driver, and the data transport (figures 2-5 Col. 6 Ln. 54 - 67, Col. 7 Ln. 1 - 14, Col. 10 Ln. 1 - 64) and said integrating component including'. a connection-oriented transport interface for interfacing with the data transport and for associating with the data transport, thereby allowing the client to send and receive data and data control information over the connection (figures 2-5 Col. 6 Ln. 54 - 67, Col. 7 Ln. 1 - 14).

11. Hyder is silent with reference to an abstracted connection interface that is available to a client that allows the client to create a connection with a desired location using the connection-oriented hardware device and a proxy client component that interfaces with the abstracted connection interface and the connection-oriented transport interface of the integrating component as a client, said proxy client component being configured to: receive abstract connection creation commands and abstract connection control commands from the application and to implement said commands through use of the connection interface to create and manage the connection, cause redirection of data and data control information from the connection through the proxy client component to designated data transport designated in one of the abstract connection control commands and return to the application, in response to a previously received connection control command, an identifier to be used to by the application for receiving data and data control information from the designated data transported so that the connection control information can be communicated to the application through the proxy client component while the data and data control information is communicated to the application through the designated data transport.

Page 7

Application/Control Number: 09/094,539

Art Unit: 2126

- 12. Sharma teaches an abstracted connection interface that is available to a client that allows the client to create a connection with a desired location using the connection-oriented hardware device (Open integration Interface (011) Mosransport Redirection Head 48 figure 2) and a proxy client component that interfaces with the abstracted connection interface and the connection-oriented transpod interface of the integrating component as a client, said proxy client component being configured to: receive connection creation commands and connection control commands from the application and to implement said commands through use of the connection interface to create and manage the connection (figure 3 Col. 4 Ln. 1 - 27), cause redirection of data and data control information from the connection through the proxy client component to designated data transport designated in one of the connection control commands (Col. 5 Ln. 8 - 18) and return to the application, in response to a previously received connection control command, an identifier to be used to by the application for receiving data and data control information from the designated data transported so that the connection control information can be communicated to the application through the proxy client component while the data and data control information is communicated to the application through the designated data transport (Col. 5 Ln. 8 - 18).
- 13. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Sharma and Hyder because the teaching of Sharma would improve the system of Hyder by providing transport protocol registration and application connection (Col. 3 Ln. 55 60, Col. 4 Ln. 10 12).

Application/Control Number: 09/094,539

Art Unit: 2126

- 14. As to claims 7 and 10, see the rejection of claim 1.
- 15. As to claim 8, see the rejection of claim 5.
- 16. As to claim 9, Sharma teaches a computer program product as recited in claim 8, wherein the data redirection takes in the integrating component (Open Integration Interface 40 figure 2).
- 17. As to claims 11 and 12, see the rejection of claims 2 and 3 respectively.
- 18. As to claim 13, see the rejection of claim 10.
- 19. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,2253,255 B1 to Hyder et al. in view of U.S. Pat. No. 6,249, 818 B1 to Sharma as applied to claim 5 above, and further in view of U.S. Pat. No. 6,041,356 to Mohammed.
- 20. As to claim 6, Hyder and Sharma as modified are silent with reference to a subsystem as recited in claim 5 wherein the integrating component is incorporated as part of an operating system.
- 21. Mohammed teaches a subsystem as recited in claim 5 wherein the integrating component is incorporated as part of an operating system (Col. 6 Ln. 3 9).

Page 9

Application/Control Number: 09/094,539

Art Unit: 2126

22. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Mohammed and Hyder and Sharma as modified because the teaching of Mohammed would have improve the system of Hyder and Sharma by reducing communication latency between the operating system and NDIS layer.

## Response to Arguments

23. Applicant's arguments filed 9/7/04 have been fully considered but they are not persuasive.

Examiner is in agreement with the Applicant in his remarks that Hyder prior art reference and the subject matter of the claimed invention are commonly owned by Microsoft Corporation, however Applicant's invocation of 35 U.S.C. § 103(c) is not proper.

To invoke 35 U.S.C. § 103(c) an application's filing date has to be on or after November 29, 1999, thus any application filed before the said date does not enjoy the benefit of 35 U.S.C. § 103(c). See MPEP § 706.02(I)(1).

The instant application was filed on June 12, 1998 which is earlier than November 29, 1999 and such Applicant's application does not enjoy the benefit of 35 U.S.C. § 103(c).

### Conclusion

24. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 09/094,539 Page 10

Art Unit: 2126

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E Anya whose telephone number is (571) 272-3757. The examiner can normally be reached on M-F (8:30-6:00) First Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, An Meng-Ai can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SUPFO ATENT EXAMINED